INDEX TO VOLUME 52

New names and the final members of new combinations are in **bold face type.**

Abies 199, 209
Abietineae 321
Acisanthera Eoisseriana 333; **glomerata** 332, 334; hedyotidea 333
Aframomum melagueta 194
Agrimonia 121
Alnus 222, 223; rhombifolia 223; **rhombifolia bernardina** 222, 223; tenuifolia 223
Ammoselinum 225; Butleri 225; giganteum 224, 225; **occidentale** 224, 225; Popei 225; section **Hesperoselinum** 225
Amomum melagueta 194
Amphitoma 378; **flavescens** 378
Andromeda glaucophylla 24
Aneimia 129, 130; Wrightii 129
Aneura pinguis 157
Anisomera 137
Anisomeris, 137–139, 141, 142; **boliviana** 142; **brachyloba** 142; **Martiana** 141; Pohliana 138; **polyantha** 142; Purpusii 138; **ribesioides** 142; spinosa 137, 141
Anisomeris, Presl; Chomelia, Jacquin and, 137
Anobium paniceum 257
Anomalies in maize and its relatives —II. Many-flowered spikelets in maize, 27; —III. Carpellody in maize, 167
Anthoceros 515, 516, 518; fusiformis 515, 516; laevis 515–517; Pearsoni 515, 516; punctatus 515, 516
Anthoceros laevis, On the number of chloroplasts in the cells of the sporophyte of, 515
Antholithes oeningensis 22
Application of Gleason's formula to a Carex lasiocarpa association, an association of few species, 23
Arabis lyrata 135
Arisaema 46; dracontium 37, 44, 46, 47; triphyllum 37, 44, 46, 47
Asclepias 281; curassavica 259
Aspergillus 300, 304, 306; niger 291–308
Aspergillus niger by a vitamine B preparation, Growth stimulation of, 291
Aster 133, 136; acuminatus 133, 136; ianthinus 136; lateriflorus 136; macrophyllus 136; multiformis 136; paniculatus 133, 136; patulus 136; sagittifolius 136; sagittifolius dissitiflorus 136; salicifolius 136; Schreberi 136; tardiflorus 136; Tradescanti 136; vimineus 136; violaris 136
Astragalus 152; allanaris 369; amphioxys 148–150, 229; amphioxys brachylobus 152, 153; amphioxys cymellus 230; amphioxys × Layneae 149, 150; argophyllus 143, 151, 229; argophyllus cnicensis 156; argophyllus Martini 156; aridus, 230; arietinus 144, 145, 233; arietinus stipularis 152; artemisiarum 143; Arthur-Schottii 143; Beckwithii 143; Booneanus 369; candelarius 235, 370; candelarius exiguus 232; Casei 147; castaneaeformis 155, 230; Chamaeluce 230, 231, 233; Chamaeluce panguicensis 229; cibarius 144, 145, 154, 233; Cicadae 230; consectus 232, 233, 370, 371; crescenticarpus 149; cuspidocarpus 145, 154; cyaneus 148, 149, 154; desperatus 143; diphysus 145; dorycnioides 143; eriocarpus 232, 233, 235, 368; eurekensis 233, 234; funereus 367; gilensis 143; glareosus 143, 234, 368, 369; Grayi 148; inflexus 369; intermedius, 151, 152, iodanthus, 144, 148; iodopetalus 152; lanocarpus 367; Layneae 150; lectulus 371; lentiginosus 145; leucolobus 371; marcidus 152; missouriensis 143, 145, 154, 229, 234; missouriensis cuspidocarpus 154; mogollonicus 152; mokiacensis 143, 153; Newberryi 230, 232–235; Newberryi castoreus 232; Newberryi × eurekensis 232, 233; Newberryi Watsonianus 370; nudisiliquus 368; palans 144; Parryi 143; pectinatus 148; pephragmenus 151, 152; Phoenicis 152; pubentissimus 143; Purshii 232, 234, 369, 371; Purshii interior 369; Purshii lectulus 372; Purshii longilobus 366,

367, 369; Purshii × Newberryi 232; Purshii tinctus 370; Purshii Watsonianus 232; Purshii × Watsonianus 232; Purslianus × Newberryi 234; pygmaeus 230, 231; remulcus 152–155; remulcus Chloridae 152, 153; Reverchoni 143; Shortianus 143, 149, 154; Shortianus brachylobus 154; Shortianus minor 145, 148, 154, 234; suturalis 233, 235; syrticolus 143; tephrodes 156, 230; Thompsonae 143; triquetrus 143; uintensis 154; ursinus 143; utahensis 368; ventosus 370; Webberi 148, 151
Azotobacter Chroococcum 293

Bacillus Coli 292; Diphtheriae 292; Influenzae 291, 292; Megatherium 292; prodigiosus 292; radicicola 293; typhosus 292
BARNHART, JOHN HENDLEY, Eugene Pintard Bicknell (1859–1925) (portrait) 119
Bartonia paniculata 133, 135
Bellucia 457
Bertolonia 373
Bicknell, Eugene Pintard (1859–1925) (portrait) 119
Bihai acuminata 192; **sylvestris** 192
Blakea **brachyura** 458; **fasciculata** 457; **latifolia** 458, 459; podagrica 459; **quadriflora**, 459; rostrata 459
Botrychium 127, 129, 130; lanuginosum 127–132; Lunaria 128, 129; obliquum 127, 129; ramosum 128; virginianum 127, 128, 130
Botrychium lanuginosum and its relation to the problem of the fertile spike, 127
BUCHHOLZ, JOHN T. The embryogeny of Cephalotaxus Fortunei, 311
Burmeistera 93–103; acuminata 104; **asclepiadea** 97, 103; **carnosa** 97, 102; cerasifera 98; ceratocarpa 101, 102; **connivens** 96, 100; crispiloba 96, 98; cylindrocarpa 96, 98; glabrata 96, 101; **glauca** 96, 98; ibaguensis 102, 104; **Killipii** 96, 99; lacerata 96, 101, 102; leucocarpa 96, 98, 99; **longifolia** 95, 97; marginata 96, 97; multiflora 96, 100; **Pennellii** 96, 100; pomifera 104; resupinata 99; Sodiroana 98; succulenta 96, 99; sylvicola 102; tomentosula 104; truncata 95, 97; Weberbaueri 95, 97
Byrsanthes 93; Halliana 64

Cachrys laevigata 258, 259
Calamagrostis canadensis 24
Calathea cyclophora 195
California—IV. Miscellaneous notes on plants of Southern, 221
Canavalia gladiata 259
Cannabis sativa 37–41, 47
Cardamine hirsuta 135
Carex 133; abdita 134; abscondita 134; crinita 24; lasiocarpa 23–25; laxiculmis × abscondita 134; leucorum 133, 134; mediterranea 134; mesochorea 134; Mitchelliana 134; pennsylvanica distans 134; ptychocarpa 134; rosea 134; rugosperma 134; sterilis 24; striatula 134; stricta 24; tribuloides sangamonensis 134; varia × umbellata 134
Carex lasiocarpa association, an association of few species; Application of Gleason's formula to a, 23
Carpellody in maize, Anomalies in maize and its relatives—III, 167
Caruelina 137
Cassia 259, 281
CASTLE, HEMPSTEAD. A revision of the species of Radula of the United States and Canada, 409
Centronia haemantha 340; **mutabilis** 338, 340; Mutisii 340
Centropogon 1, 49, 50, 59, 69, 93, 94, 104; acrodentatus 20; affinis venezuelanus 20; aggregatus 51, 58 **alatus** 4, 12, 20; albolimbatus 51, 59; amplifolius 50, 52; **angustus** 50, 54, 74; arcuatus 51, 56; **aurantiacus** 2, 7, 20; **australis** 3, 12, 20; Bangi 50, 52; barbatus 11; barbatus parviflorus 11; **barbatellus** 3, 11, 20; beslerioides 51, 57; Brittonianus 2, 5, 20; Brittonianus brevidentatus 20; **Caoutchouc** 2, 7, 20; capitatus 50, 52; **carpinoides** 62, 74; **ciliatus** 51, 58, 74; **cinereus** 4, 15, 20; **comosus** 4, 13, 20; **congestus** 50, 52–54, 74; cornutus 49, 50, 59; **curvatus** 51, 55, 74; cuspidatus 51, 56; **decemlobus** 59, 61, 74; eborinus 20; **ellipticus** 3, 8, 20; erianthus 5, 18, 20; erythraeus 20; erythranthus 62; exasperatus 20; **Featherstonei** 5, 17, 20; **ferrugineus** 3, 11, 20; **ferrugineus parviflorus** 11; floccosus 20; foliosus 4, 12, 13, 20; **fulvus** 2, 7, 20; gamosepalus 50, 51; gesneraeformis 50, 53, 54; **gesnerioides** 50, 53, 54, 74; glabratus 101; glaucus 98; gloriosus 2, 5, 20;

grandidentatus 12; grandidentatus australis 12; grandis 50, 52, 57; **griseus** 62, 74; Hartwegi 2, 6, 20; **hirsutus** 4, 14, 20; hirtiflorus 20; **Hitchcockii** 63, 74; **intonsus** 3, 9, 20; **Jahnii** 3, 10, 20; Karstenii 20; lanceolatus 3, 10, 20; **latisepalus** 2, 6, 20; **leucophyllus** 61, 62, 74; **licayensis** 4, 16, 20; Lindenianus 4, 15, 20; longifolius 3, 9, 20; longipes 99; luteus 7; **Macbridei** 5, 13, 18, 20; macrocarpus 20; magnificus 2, 5, 20; Mandonis 2, 5, 20; **nervosus** 4, 13, 20; nutans 49; oblongus 59; **occultus** 4, 16, 20; **parvulus** 51, 56, 74; pedicellaris 51, 57, 58, 74; pedicellaris **gallerensis** 58; **perlongus** 5, 19, 20; pichinchensis 5, 18, 20; Planchonis 49, 51, 59; Preslii 4, 17, 20; prostratus 51, 59; **Purdieanus** 60, 74; roseus 50, 51; rubiginosus 20; rubrosepalus 101; rufus 3, 8, 20; salviaeformis 4, 13, 20; **serratus** 51, 54, 74; Sodiroanus 64; solanifolius 51, 59; speciosus 49, 51, 58; subcordatus 4, 12, 20; suberianthus 4, 15, 20; surinamensis 49; unduavensis 2, 6, 20; **verbascifolius** 5, 13, 18, 20; Weberbaueri 3, 8, 20; yungasensis 49, 50

Centropogon, group Amplifolii, 49; group Axillares, 59

Centropogon, The stellate-tomentose species of, 1

Cepalotaxus 311, 312, 313, 314, 316, 318, 319, 320, 321, 323; drupacea 313; Fortunei 311–323

Cephalotaxus Fortunei, The embryogeny of, 311

Chaetochloa geniculata 133; imberbis 133

Chamaedaphne calyculata 24

Chamber with thermostatic control and rotating table for plant cultures, 389

Chloroplasts in the cells of the sporophyte of Anthoceros laevis, On the number of, 515

Chomelia 137–139, 142; angustifolia 142; Anisomeris 141; boliviana 142; brachyloba 139, 142; **brevicornu** 139, 141; **dimorpha** 140; **longicaudata** 139, 140, 142; Martiana 141; **multiflora** 141; obtusa 141; Pohliana 138; polyantha 142; **Purpusii** 138; ribesioides 138, 142; spinosa 137, 138; tenuiflora 138, 142

Chomelia, Jacquin and Anisomeris, Presl, 137

Chrysanthemum leucanthemum 199

CHRYSLER, M. A., Botrychium lanuginosum and its relation to the problem of the fertile spike, 127

Chrysopsis Breweri 226, 227; Wrightii 227

Citrus sinensis 259

Clidemia 457; ciliata 455; **cymosa** 455; impetiolaris 455; polyandra 378

COBURN, HELEN (see Woollett, Edith 23)

Coccidiascus 249, 251–253, 280, 281, 284; Legeri 251, 252, 257, 268, 270, 281, 282

Colorado, The genus Hymenopappus in, 105

Contributions to the flora of Long Island, New York—Third paper, 133

Copedesma 331; **nitens** 329, 331

Corylus avellana 259

Crataegus 469

Crepis nana 227

Critical consideration of Hagström's work on Potamogeton, A, 461

Critoniopsis 191; Lindenii 191

Crotalaria 281; juncea 259; retusa 259

Cryptococcus Anobii 257; farciminosus 257

Cryptomeria japonica 210

Cuscuta 133; compacta 135; Coryli 135; Gronovii latifolia 135; Gronovii vulgivaga 135

Cycas revoluta 130

Cystium 144, 145; diphysum 144

Datura 40; Stramonium 40

DEAN, DORIS (see Woollett, Edith, 23)

Debaryomyces globosus 269, 270; tyrocola 269, 270

Development of prothallium and apogamous embryo in Pellaea glabella Mettenius, 507

Dichaetandra 333

Diolena 373; agrimonioides 375; **lanceolata** 374, 375; pileoides 375

Dioscorea 181; dodecaneura 184; **lanosa** 181, 182; **megacarpa** 184; **oblonga** 182; pilosiuscula 182; piperifolia 183; polygonoides 182, 183; **trichanthera** 182; trifida 184; truncata 184

Diplarpea 373

Dolichos Lablab 259, 281

Drymocallis agrimonioides 133, 135

Dulichium arundinaceum 24

Dupatya **Karstenii** 195; pilosa 195; **Roraimae** 195

Effect of wounds upon the rotation of the protoplasm in the internodes of Nitella, The, 351
Eleocharis acuminata 24; palustris 24
Elodea 361
Embryogeny of Cephalotaxus Fortunei, The, 311
Endomyces albicans 256; capsularis 252, 283; fibuliger 283; javanensis 252, 283; Magnusii 283
Ephedra 211
Epilobium angustifolium 468; latifolium 468
Epipactis palustris 199
Eremascus fertilis 283
Eremothecium 252, 280, 281; Cymbalariae 250, 252, 258, 259
Eriophorum callithrix 24; viridicarinatum 24
Ernestia 330, 332; cordifolia 330; **glandulosa** 329; **lata** 328, 329; tenella 329
Erodium cicutarium 135
Erysiphe 274, 279
Eugene Pintard Bicknell (1859–1925) (portrait), 119
Eupatorium album 136
EVANS, ALEXANDER W. A taxonomic study of Hymenophytum, 491
Experiments with various plants to produce change of sex in the individual, 35

Fabaceae—IV. Xylophacos, Notes on, 143; —V, 229; —VI, 365
FERGUSON, WILLIAM C. Contributions to the flora of Long Island, New York—Third paper, 133
Fimbristylis puberula 133
Flora of Long Island, New York—Third paper, Contributions to the, 133
Flora of Northern South America,—II, Studies on the, 1; —III, 49; —IV, 93; —V, 181; —VI, 325; —VII, 373; —VIII, 447
Fossil species of Hydrangea, A new, 21
Fritillaria imperialis 197, 198

Genus Hymenopappus in Colorado, The, 105
Geranium molle 135
Germination of the spores of Riccardia pinguis and of Pellia Fabbroniana, 157
Getonia 22; oeningensis 22
GLEASON, H. A. Studies on the Flora of Northern South America—II, 1; —III, 49; —IV, 93; —V, 181; —VI, 325; —VII, 373; —VIII, 447
Gnetum 195; **Cruzianum** 196; nodiflorun 196; paniculatum 195
Gnomonia erythrostoma 279
GOLDSTEIN, BESSIE. A study of progressive cell plate formation, 197
Gossypium 259
Gottschea 160
Gratiola aurea 136
Growth stimulation of Aspergillus niger by a vitamine B preparation, 291

Hamosa amphioxys 150; Layneae 150
Helianthemum 121
Helmia monadelpha 183
Henriettea 457
Henriettella 457
Hesperoselinum, section of Ammoselinum 225
Heterotrichum 377, 379; glandulosum 377; macrodon 377; octonum 377; **polyandrum** 378; **rostratum** 378
Hieracium vulgatum 136
HOLLICK, ARTHUR. A new fossil species of Hydrangea, 21
Hottonia inflata 133, 135
Hydrangea 21, 22; **alaskana** 21, 22; Bendirei 22; Davidi 21; hortensis 21; opuloides 21; quercifolia 21, 22
Hydrangea, A new fossil species of, 21
Hymenopappus 105, 107; arenosus 105–107; cinereus 105, 106; filifolius 105–107; flavescens 106; luteus 105–107; macroglottis 107; nudatus 105, 107; ochroleucus 106; parvulus 106; polycephalus 105, 106; scaposus 107; tenuifolius 105, 106, 107
Hymenopappus in Colorado, The genus, 105
Hymenophyton 491
Hymenophytum 491–506; flabellatum 491–503; furcatum, 495, 503, 504; Hymenophyllum 491; leptopodum 494–501, 503, 504; pedicellatum 494, 501, 502, 504, 506
Hymenophytum, A taxonomic Study of, 491
Hypericum virginicum 24
Hypopitys insignata 122

Ibidium vernale 135
Index to American Botanical Literature 26, 75, 109, 171, 237, 341, 397, 473, 519
Indigofera 259, 281

Internodes of Nitella, The effect of wounds upon the rotation of the protoplasm in the, 351
Ipomoea Batatas 259, 260
Iris pumila 199; versicolor 24
Ischnosiphon **foliosus** 194; Martianus 194

Jatropha 281; urens 259
JOHNSTON, IVAN M. (see Munz, Philip A., 221)
Juncus brachycarpus 24, 133, 135; canadensis 24
Jungermannia complanata 429; flabellata 491, 496, 504, 505; Hymenophyllum 491; leptopoda 492, 504; Phyllanthus 493

Killipia 456, 457; **quadrangularis** 453, 456

Lactuca floridana 136
Leandra 325; inaequalifolia 376; polyadena 376; **purpurea** 376; rufescens 375; verticillata 376
Lemna 291; minor 293, 294, 305, 306
Leontodon 40
Linaria Cymbalaria 258, 259
Lobelia ayavacensis 65; barbata 11; beslerioides 57; Caoutchouc 7; ferruginea 11; gigantea 65; glabrata 101; grandis 52; Jamesoniana 64; nivea 64; pulverulenta 64; umbellata 65, 66; verbascifolia 18
Long Island, New York—Third paper Contributions to the flora of, 133
Loreya 457
Lorinseria areoata 130
Lycopersicum esculentum 259
Lysimachia terrestris 24; thyrsiflora 24
Lythrum Salicaria 81–83, 85
Lythrum Salicaria—II. A new form of flower in this species, Studies of, 81

Macrocentrum 373
Maieta 457
Maize and its relatives, Anomalies in, —II. Many-flowered spikelets in maize, 87; —III. Carpellody in Maize, 167
Malanea ribesioides 142
Malvastrum **gabrielense** 223, 224; orbiculatum 224; viscidum 224
MANUEL, MILDRED E. (see Pickett, F. L. 507)
Marsilea Bendirei 22
Martinellius 409; complanatus 429
Mecranium 457
Melastomataceae, New or noteworthy species of, 325, 373, 447
Menyanthes trifoliata 24, 133, 135
Mercurialis annua 42
Metzgeria rugulosa 492, 504, 505
Miconia 322, 325, 377, 379, 380, 450; **aggregata** 448; ambigua 385; annulata 388; Benthamiana 377, 378; Beurlingii 385; Boisseriana 381; capitellata 448, 449, 450; **caucana** 385; ciliata, 387; **Cladonia** 453; coelestis 451; **cuneifolia** 451; flavescens 454; floribunda 387; gracilis 385; grandiflora 387; guianensis 380; hyperprasina 385; **imbricata** 382; **Killipii** 375, 387; lamprarrhena 388; Lehmannii 450; macrantha 388; macrophylla 381; macrotis 380, 381; macrotis **canescens** 381; majalis 387; Mendoncaei 384; mimica 451; **minuta** 450, 451; notabilis 383; **panicularis** 384; penicillata 449; **Pennellii** 448; **plumosa** 381; **polita** 379; psychrophila 448; **pulvinata** 386; racemosa 386, 387; rostrata 377, 378; **rupicola** 383; **scutata** 388, 453; **Smithii** 383; stipularis 388; **subalpina** 447; virescens 385; **virgulata** 386, 387; tomentosa 382; **turgida** 452, 453
Microphysca 457
Miscellaneous notes on plants of Southern California—IV, 221
Momordica charantia 259
Monochaetum **coronatum** 334, 336; dicranantherum 336; Jahnni 336; **rotundifolium** 333; stellulatum 335; **villosum** 334, 335
Monolena 373
Monospora bicuspidata 249–253, 256, 270, 280–282, 284; cuspidata 251
Morphology, and cytology of Nematospora Phaseoli, Studies on the pathogenicity, 249
Morus 43; alba 41, 43, 47; indica 43
Mucor Mucedo 292
MUNZ, PHILIP A., & IVAN M. JOHNSTON. Miscellaneous notes on plants of Southern California—IV 221
Myriaspora 457
Myrmedone 457

Nadsonia elongata 269, 270; fulvescens 269, 270
Nematospora 249–253, 257–264, 279, 280, 281, 283, 284; Coryli 250–252,

257–259, 261, 270, 281, 282; Lycopersici 250–252, 257, 259, 261, 268, 270, 277, 279, 281, 282; Phaseoli 249, 252, 253, 255, 258, 259, 261, 262, 264, 277, 281, 282
Nematospora Phaseoli, Studies on the pathogenicity, morphology, and cytology of, 249
New fossil species of Hydrangea, A, 21
NICHOLS, SUSAN P. The effect of wounds upon the rotation of the protoplasm in the internodes of Nitella, 351
Nitella 351, 353, 354, 360–362
Nitella, The effect of wounds upon the rotation of the protoplasm in the internodes of, 351
Notes on Fabaceae—IV. Xylophacos, 143; —V, 229; —VI, Xylophacos (conclusion) 365
Notes on plants of Southern California—IV, Miscellaneous, 221
Nymphaea advena 24

Octomeris 377; rostrata 378
Oidium albicans 256, 257; lactis 292, 297, 307
Oospora lingualis 256
Ornithopteris 129
Osmunda 128; cinnamomea 130; Claytoniana 130; regalis 130
Ossaea 457; diversifolia 457; **grandifolia** 457
OSTERHOUT, GEORGE E. The genus Hymenopappus in Colorado, 105

Paepalanthus Karstenii 195; Roraimae 195
Panicularia borealis 24
Parasaccharomyces Ashfordi 257
Parnassia californica 227
Pathogenicity, morphology, and cytology of Nematospora Phaseoli, Studies on the, 249
Pellaea atropurpurea 507, 511; glabella 507–514
Pellaea glabella Mettenius, Development of prothallium and apogamous embryo in, 507
Pellia 160; epiphylla 160, 162; Fabbroniana 158, 160, 166, *pl. 5*
Pellia Fabbroniana, Germination of the spores of Riccardia pinguis and of, 157
Penicillium glaucum 292, 297, 307
Penstemon fruticiformis 226; fruticiformis incertus 226; heterophyllus 226; Palmeri Grinnellii 226; **Peirsoni** 225, 226
Phaca 143; mollissima 369; mollissima utahensis 367; pygmaea 230, 231
Phaseolus lunatus 253, 259, 260; vulgaris 259–261
Phyllactinia 274, 279
Picea 199, 209
Pichia membranaefaciens 269, 283
PICKETT, F. L., & MILDRED E. MANUEL. Development of prothallium and apogamous embryo in Pellaea glabella Mettenius, 507
PINNICK, ATHA A. On the number of chloroplasts in the cells of the sporophyte of Anthoceros laevis, 515
Pinus 313, 319, 320
Plant cultures, Chamber with thermostatic control and rotating table for, 389
Poa bulbosa 133
Podomitrium 493; Phyllanthus 493, 494
Podospora 279, 281
Polygonum amphibium 24; atlanticum 135; exsertum 135; prolificum 135
Polystichum acrostichoides 130
Porana 22; Bendirei 22; oeningensis 22
Potamogeton 461–463, 469, 470, 471; acutifolius 464; alpinus 463; americanus 464; americanus novaeboracensis 464; amplifolius 463, 466; amplifolius × illinoensis 467; Aschersonii 464; bupleuroides 463; cayugensis 465; confervoides 463; conjugens 465; crispus 463; crispus × praelongus 470; dimorphus 463; diversifolius 465; epihydrus 464; filiformis 462; filiformis borealis 464; filiformis f. luxuriosus 464; filiformis occidentalis 464; foliosus 463, 464; foliosus californicus 464; foliosus niagarensis 464; fluitans 464; Friesii 464; gramineus 464–466; gramineus × illinoensis 467; gramineus × illinoensis × lucens 467; gramineus × perfoliatus 465; heterophyllus 24, 464; Hillii 464; hybridus 465; illinoensis 463, 465, 466–468, 471; illinoensis f. homophyllus 465, 467; illinoensis f. rosulatus 465, 466, 467; illinoensis × lucens 467; illinoensis × nodosus 467; illinoensis × perfoliatus 467; interruptus 464; lacunatus 464, 465; latifolius 464; lucens 463, 465–467, 470; lucens ×

nodosus 470; lucens × perfoliatus 470; lucens × praelongus 470; methyensis 466; moniliformis 464; mucronatus 464; natans 463, 470; nodosus 464, 466, 470; novaeboracensis 464; Nuttallii 464; Oakesianus 463; obtusifolius 463; panormitanus 462, 464; pectinatus 462, 464; pectinatus diffusus f. interruptus 464; pectinatus zosteraceus 464; perfoliatus 463, 465–467, 470; polygonifolius 463; praelongus 463, 470; pulcher 463; pulcher f. amphibius 465; pusillus 462–464; Richardsonii 463; Robbinsii 463, 468; rotundatus 465; rutilus 463; strictifolius 463; vaginatus 464; Vaseyi 463; zosterifolius 463
Potamogeton, A critical consideration of Hagström's work on, 461
Potentilla palustris 24
Poteranthera **minor** 338, 339
Primula malacoides 294
Protascus 252, 280, 281; subuliformis 252
Pseudoernestia 330
Pterogastra divaricata 327; glabra 326, 327

Radula 409–445; alpestris 429; andicola 411, 438–441; arctica, 415, 418; australis, 411, 423–426, 429, 435, 437; Bolanderi 410, 415–418, 420, 421; caloosiensis 411, 433–435; complanata 411, 429–437, 441, 442; epiphylla 441, 444, 445; flaccida 411, 441–445; formosa 418; Grevilleana 445; Hallii 429, 431; Krausei 429, 431, 432; **Langloisii** 411, 435, 437, 438; Lescurii 438, 440, 441; Lindbergiana, 432, 433; mammosa 445; mollis 440, 441; Notarisii 429; obconica 411, 426–429, 432; pallens 411, 413, 414, 426; polyclada 410, 419–421; prolifera 421; ramulina 441; spicata 415, 417, 418; stenocalyx 445; Sullivantii 410, 421–423, 426, 429; tenax 410–415, 418, 419; viridi-aurea 438, 440, 441; voluta 440, 441; xalapensis 438, 440
Radula of the United States and Canada, A revision of the species of, 409
Rapatea **linearis** 191; paludosa 191
Renealmia floribunda 193; Lehmannii 194; occidentalis 193, 194; occidentalis longipes 193; orinocensis 193; **pedicellaris** 192, 193; **pilosa** 193
Revision of the species of Radula of the United States and Canada, A, 409
Rhynchanthera Glazioviana 337; **microphylla** 337; parviflora 337; serrulata 337
Rhyparobius 281
Riccardia 160, 164; pinguis 157–160
Riccardia pinguis and of Pellia Fabbroniana, Germination of the spores of, 157
Ricinus communis 259
Rubus 468
Ruppia 471
RUSBY, H. H. Chomelia, Jacquin and Anisomeris, Presl, 137
RYDBERG, PER AXEL. Notes on Fabaceae—IV. Xylophacos, 143; —V, 229; —VI, 365
Rynchospora cymosa 133

Saccharomyces apiculatus parasiticus 257; Bayanus 269; Cerevisiae 256, 256–267, 269, 270, 277, 283, 291, 292; ellipsoideus 266, 267, 269; intermedius 269; Linguae-pilosae 256; Ludwigii 266, 269, 270, 282, 283; parasitaris 257; pastorianus 266, 270; subcutaneus tumefaciens 257; turbidans 269; validus 269; Vini Muntzii 269; Willianus 269
Saccharomycetes 252, 253, 280
Saccharomycopsis guttulatus 257
Saccolena 373; **dimorpha** 373, 375
Sagina 135; apetala 135; decumbens 135; procumbens 135
ST. JOHN, HAROLD. A critical consideration of Hagström's work on Potamogeton, 461
Salix amygdaloides 41; orestera 227; pedicellaris 23, 24; sericea 24; viminalis 135
Salpinga 373
Sanicula 121
SCHAFFNER, JOHN H. Experiments with various plants to produce change of sex in the individual, 35
SCHELLING, NELLY JACOB. Growth stimulation of Aspergillus niger by a vitamine B preparation, 291
Schizosaccharomyces 265, 277, 282; Aphalarae calthae 268; formosensis 268; Mellacei 267, 270; octosporus 267, 268, 270; pombe 267, 270; santawensis 268
Schwanniomyces occidentalis 270
Sciadopitys 319, 320
Scientific papers of Mr. Bicknell, 122
Scirpus atrocinctus 24; **bernardinus** 221; nanus 134; paludosus 134; pa-

luster 211; pauciflorus 221, 222; planifolius 134; robustus 124, 134
Scleria triglomerata 133
Sclerotinia 293; cinerea 293
Scrophularia 121
Scutellaria integrifolia 135
Senecio occidentalis 227
Sex in the individual, Experiments with various plants to produce change of, 35
SHOWALTER, A. M. Germination of spores of Riccardia pinguis and of Pellia Fabbroniana, 157
Sibbaldia procumbens 227
Siphanthera 339; **alsinoides** 337, 338
Siphocampylus 49, 64, 69, 93, 94; aggregatus 58; ayavacensis 65; barbatus 9, 11; Benthamianus 69, 71; **coronatus** 72, 74; cordifolius 69; **cylindricus** 66, 68, 74; **dentatus** 69, 74; erianthus 18; ferrugineus 11; giganteus 66; giganteus latifolius 5; glabrata 101; gloriosus 5; grandis 52; Hallianus 64; Hartwegi 6; **Hazenii** 68, 74; hispidus 71; Jamesonianus 64; lanatus 64; megalanthus 71, 73; niveus 64; **obovoideus** 71, 74; odontosepalus 70; **Pennellii** 64, 65, 74; **pilosus** 70, 74; pubescens 71; pyriformis 72; radiatus 93; **stellatus** 67, 68, 74; umbellatus 65, 69; unduavensis 6; **venosus** 71, 72, 74; verbascifolius 18; volubilis 69
Siphocampylus niveus and two related species, 64
Siphocampylus umbellatus and three related species, 65
Siphocampylus volubilis and S. Benthamianus, new species related to, 69
Sisyrinchium 121
Solanum villosum 135
Solidago bicolor 136; hispida 136; rugosa 136; rugosa sphagnophila 136; ulmifolia 136
South America—II, Studies on the flora of Northern, 1; —III, 49; —IV, 93; —V, 181; —VI, 325; —VII, 373; —VIII, 447
Sparganium minimum 24
Species of Radula of the United States and Canada, A revision of the, 409
Spirogyra 518
Stephanina 409; alpestris 430; complanata 430; flaccida 441
Struthiopteris germanica 130
Studies of Lythrum Salicaria—II. A new form of flower in this species 81
Studies on the Flora of Northern South America—II, 1; —III, 49; —IV, 93; —V, 181; —VI, 325; —VII, 373; —VIII, 447
Studies on the pathogenicity, morphology, and cytology of Nematospora Phaseoli, 249
Study of Hymenophytum, A taxonomic, 491
Study of progressive cell plate formation, A, 197
Symphyogyna 491, 492, 502, 503, 505; flabellata 491, 492, 504; foetida 492, 504, 505; Hymenophyllum 491; integerrima 502, 504, 505; leptopoda 492, 504; longistipa 492, 504, 505; megalolepis 492, 493, 504; platycalyptra 492, 504, 505; platystipa, 492, 504; rugulosa 492, 496

Taraxacum 228; **californicum** 227, 228; ceratophorum 228; laevigatum 40; lapponicum 228; officinale lividium 228; vulgare 40
Taxonomic study of Hymenophytum, A, 491
Tephrosia 259, 281
Thalictrum dasycarpum 37; dioicum 35–37, 47
Theocotheus 281
Thermostatic control and rotating table for plant cultures, Chamber with, 389
Tibouchina gracilis 327; lepidota 328; lepidota **intermedia** 328; paleacea 328
Todea 128
Topobea **alternifolia** 459, 460
Tradescantia 205
Tragacantha Watsoniana 235
TRELEASE, SAM F. Chamber with thermostatic control and rotating table for plant cultures, 389
Triolena 373
Triosteum aurantiacum 133, 136
Triticum vulgare 304
Typha latifolia 24

Umbraculum 491–494; flabellatum 491, 492, 495, 504; leptopodum 492, 495, 504; Muelleri 492, 495, 504

Vallisneria 361
Verbascum 49; Thapsus 1
Vernonia **flexipappa** 186; jucunda 190; mapirensis 185; **Pennellii** 187; **spinulosa** 188, 190; **tricho-**

clada 184, 185; **trichotoma** 190; **trilectorum** 186
Viburnum Weberi 22
Vigna catjang 259; sinensis 259, 260
Vitis bicolor 135

WEATHERWAX, PAUL. Anomalies in maize and its relatives—II. Many-flowered spikelets in maize, 87; —III. Carpellody in Maize, 167
Willia Saturnus 269, 282
WINGARD, S. A. Studies on the pathogenicity, morphology, and cytology of Nematospora Phaseoli, 249
Woodwardia angustifolia 130
WOOLLETT, EDITH, DORIS DEAN & HELEN COBURN. Application of Gleason's formula to a Carex lasiocarpa association, an association of few species, 23

Xylophacos amphioxys 146, 148–150, 154, 155; aragalloides 146, 148–150; **argentinus** 366, 371; argophyllus 147, 156, 234, 369; argophyllus cnicensis 156; argophyllus Martini 156; **brachylobus** 147, 154; **canadelarius** 365, 370, 371; **Casei** 146, 147; **Castaneaeformis** 147, 155; **Chloridae** 147, 153; cibarius 144, 145, 151; coccineus 367, 372; cuspidocarpus 144, 145, 151; **cyaneus** 147, 154, 156, 230; cymboides 229, 230; eurekensis 231, 233, 234; **funereus** 365, 367; glareosus 156, 234, 365, 368–370; **incurvus** 365, 366; inflexus 365, 366, 368, 369; **iodanthus** 144; **iodopetalus** 144, 147, 152; **lagopinus** 366, 372; **lectulus** 366, 369, 371; **lenophyllus** 152, 155; **leucolobus** 365, 369, 371; **marianus** 231, 233; **medius** 231, 232, 234; melanocalyx, 146, 149, 150; missouriensis 154, 229, 230; musiniensis 230, 231; Newberryi 231–234; **nudisiliquus** 365, 368; **pephragmenus** 147, 151, 153, 230; puniceus 144, 145; Purshii 232, 365, 366, 368–370; Purshii interior 369; Purshii longilobus 369; Purshii tinctus 370; pygmaeus 230, 231; **remulcus** 147, 153; Shortianus 147, 151–154; stipularis 152; **subvillosus** 365, 368; **tephrodes** 147, 156; **Tidestromii** 146, 147, 155; uintensis 154; utahensis 365–368, 371; **ventosus** 365, 370; vespertinus 229, 230; Watsonianus 231–233, 235, 370; **Webberi** 146, 148, 151; Zionis 146, 148
Xylophacos:—I. Iodanthi 144; —II. Cyanei 144, 146; —III. Missourienses 144, 229; —IV. Pygmaei 144, 230; —V. Eriocarpi 144, 231; —VI. Glareosi 144, 365; —VII. Coccinei 144, 372

Zygosaccharomyces 268, 277, 282; Barkeri 268; bisporus 270; Chevalieri 268; javanicus 268; lactis 268; major 268; mandshuricus 268; Nadsonia 270; Nadsonii 268; Pastori 268; priorianus 268, 269